INDEX TO AUTHORS

A

AFZELIUS, B. A. See BAXANDALL, PERLMANN, and AFZELIUS, 609, 629

AOKI, AGUSTÍN. See BURGOS, AOKI, and SACERDOTE, 207

B

BAL, ARYA K., and GROSS, PAUL R. Suppression of mitosis and macromolecule synthesis in onion roots by heavy water, 188

BARR, L. See DEWEY and BARR, 553

BAWA, S. R. Electron microscope study of spermiogenesis in a fire-brat insect, *Thermobia domestica* Pack. I. Mature spermatozoon, 431

BAXANDALL, JANE, PERLMANN, P., and AFZELIUS, B. A. Immuno-electron microscope analysis of the surface layers of the unfertilized sea urchin egg. I. Effects of the antisera on the cell ultrastructure, 609

—, —, and —. Immuno-electron microscope analysis of the surface layers of the unfertilized sea urchin egg. II. Localization of surface antigens, 629

BAZIRE, GERMAINE. See COHEN-BAZIRE, 587

BERRILL, N. J., and SHELDON, H. The fine structure of the connections between muscle cells in ascidian tadpole larva, 664

BROWN, ROSE H. See LYNN, FORTNEY, and BROWN, 1, 9

BURGOS, MARIO H., AOKI, AGUSTÍN, and SACERDOTE, FABIO L. Ultrastructure of isolated kidney mitochondria treated with phlorizin and ATP, 207

C

CAMERON, IVAN L., and SMITH, ROBERT E. Cytological responses of brown fat tissue in cold-exposed rats, 89

COHEN, MAIMON M., and SHAW, MARGERY W. Effects of Mitomycin C on human chromosomes, 386

COHEN-BAZIRE, GERMAINE. See STOVE POINDEXTER and COHEN-BAZIRE, 587

COLEMAN, JAMES R., and MOSES, MONTROSE J. DNA and the fine structure of synaptic chromosomes in the domestic rooster (*Gallus domesticus*), 63

COPELAND, EUGENE. A mitochondrial pump in the cells of the anal papillae of mosquito larvae, 253

COSMOS, ETHEL. Intracellular distribution of calcium in developing breast muscle of normal and dystrophic chicken, 241

CRONKITE, EUGENE P. See TONNA and CRONKITE, 79

D

DAS, C. C., KAUFMANN, B. P., and GAY, HELEN. Histone-protein transition in *Drosophila melanogaster*. II. Changes during early embryonic development, 423

DE-THÉ, GUY. Cytoplasmic microtubules in different animal cells, 265

DEWEY, M. M., and BARR, L. A study of the structure and distribution of the nexus, 553

F

FELDMAN, JOSEPH D. See LEE and FELDMAN, 396

FORTNEY, SIDNEY. See LYNN, FORTNEY, and BROWN, 1, 9

FUJITA, HISAO, and MACHINO, MITSUO. Fine structure of intramitochondrial crystals in rat thyroid follicular cell, 383

G

GAY, HELEN. See DAS, KAUFMANN, and GAY, 423

GLIMCHER, MELVIN J. See TRAVIS and GLIMCHER, 447

GREENAWALT, JOHN W., ROSSI, CARLO S., and LEHNINGER, ALBERT L. Effect of active accumulation of calcium and phosphate ions on the structure of rat liver mitochondria, 21

GROSS, PAUL R. See BAL and GROSS, 188

H

HARTMANN, JOHN F. Cytochemical localization of adenosine triphosphatase in the mitotic apparatus of HeLa and Sarcoma 180 tissue culture cells, 363

HERNDON, ROBERT M. The fine structure of the rat cerebellum. II. The stellate neurons, granule cells, and glia, 277

HSU, LICHU, and TAPPEL, A. L. Lysosomal enzymes of rat intestinal mucosa, 233

HSU, T. C. Mammalian chromosomes *in vitro*. XVIII. DNA replication sequence in the Chinese hamster, 53

J

JAMIESON, J. D., and PALADE, GEORGE E. Specific granules in atrial muscle cells, 151

JENSEN, WILLIAM A. Observations on the fusion of nuclei in plants, 669

K

KARNOVSKY, MORRIS J. The localization of cholinesterase activity in rat cardiac muscle by electron microscopy, 217

KAUFMANN, B. P. See DAS, KAUFMANN, and GAY, 423
KISHIMOTO, SUSUMU, and LIEBERMAN, IRVING. A nuclear membrane change after partial hepatectomy, 511
KLEINFELD, RUTH G. See KOULISH and KLEINFELD, 39
KOULISH, SASHA, and KLEINFELD, RUTH G. The role of the nucleolus. I. Tritiated cytidine activity in liver parenchymal cells of thioacetamide-treated rats, 39

L

LANSING, ALBERT I. Age variations in cortical cytomembranes of rotifers, 403
LEE, ROBERT E., and FELDMAN, JOSEPH D. Visualization of antigenic sites of human erythrocytes with ferritin-antibody conjugates, 396
LEHNINGER, ALBERT L. See GREENAWALT, ROSSI, and LEHNINGER, 21
LIEBERMAN, IRVING. See KISHIMOTO and LIEBERMAN, 511
LITT, MORTIMER. Studies in experimental eosinophilia. VI. Uptake of immune complexes by eosinophils, 355
LYNN, WILLIAM S., JR., FORTNEY, SYDNEY, and BROWN, ROSE H. Osmotic and metabolic alterations of mitochondrial size, 1
—, —, and —. Role of EDTA and metals in mitochondrial contraction, 9

M

MACHINO, MITSUO. See FUJITA and MACHINO, 383
MACRAE, EDITH KRUGELIS. Organized structures in the nucleolus, 195
MCKENZIE, J. M. See SHELDON, MCKENZIE, and VAN NIMWEGAN, 200
MCKINNELL, ROBERT GILMORE. See SIMPSON and MCKINNELL, 371
MILLER, FRITZ, and PALADE, GEORGE E. Lytic activities in renal protein absorption droplets. An electron microscopical cytochemical study, 519
MILLER, O. L., STONE, G. E., and PRESCOTT, D. M. Autoradiography of soluble materials, 654
MOLLENHAUER, HILTON H. See MORRÉ and MOLLENHAUER, 295
MORRÉ, D. JAMES, and MOLLENHAUER, HILTON H. Isolation of the Golgi apparatus from plant cells, 295
MOSES, MONTROSE J. See COLEMAN and MOSES, 63
MUGNAINI, ENRICO. Helical filaments in astrocytic mitochondria of the corpus striatum in the rat, 173

N

NACHMIAS, VIVIANNE T. Fibrillar structures in the cytoplasm of *Chaos chaos*, 183
NADAKAVUKAREN, MATHEW J. Fine structure of negatively stained plant mitochondria, 193
NORTHCOTE, D. H. See WOODING and NORTHCOTE, 327

P

PALADE, GEORGE E. See JAMIESON and PALADE, 151
—. See MILLER and PALADE, 519
—. See WEIBEL and PALADE, 101
PERLMANN, P. See BAXANDALL, PERLMANN, and AFZELIUS, 609, 629
PETERSEN, ARNOLD J. DNA synthesis and chromosomal asynchrony. Induced parasynchronous DNA synthesis in human leucocyte cultures and chromosomal asychrony in the early S phase, 651
POINDEXTER, JEANNE L. See STOVE POINDEXTER, 587
PRESCOTT, D. M. See MILLER, STONE, and PRESCOTT, 654

R

RAGETLI, H. W. J. See WEINTRAUB and RAGETLI, 499
RENAUD, FERNANDO L., and SWIFT, HEWSON. The development of basal bodies and flagella in *Allomyces arbusculus*, 339
ROSENBLUTH, JACK, and WISSIG, STEVEN L. The distribution of exogenous ferritin in toad spinal ganglia and the mechanism of its uptake by neurons, 307
ROSSI, CARLO S. See GREENAWALT, ROSSI, and LEHNINGER, 21

S

SACERDOTE, FABIO L. See BURGOS, AOKI, and SACERDOTE, 207
SHAW, MARGERY W. See COHEN and SHAW, 386
SHELDON, H., MCKENZIE, J. M., and VAN NIMWEGAN, D. Electron microscopic autoradiography. The localization of I^{125} in suppressed and thyrotropin-stimulated mouse thyroid gland, 200
—. See BERRILL and SHELDON, 664
SHEPARD, NORA. See HERNDON, 277
SIMPSON, NANCY SYPE, and MCKINNELL, ROBERT GILMORE. The burnsi gene as a nuclear marker for transplantation experiments in frogs, 371
SISTROM, W. R. See WORDEN and SISTROM, 135
SMITH, ROBERT E. See CAMERON and SMITH, 89
STONE, G. E. See MILLER, STONE, and PRESCOTT, 654
STOVE POINDEXTER, JEANNE L., and COHEN-BAZIRE, GERMAINE. The fine structure of stalked bacteria belonging to the family Caulobacteraceae, 587
SWIFT, HEWSON. See RENAUD and SWIFT, 339

T

TAPPEL, A. L. See HSU and TAPPEL, 233
TERNAK, J. See DEWEY and BARR, 553
THOMAS, P. K. The deposition of collagen in relation to Schwann cell basement membrane during peripheral nerve regeneration, 375
THOMAS, RICHARD S. Ultrastructural localization of mineral matter in bacterial spores by microincineration, 113
THREADGOLD, J. See BERRILL and SHELDON, 664

TONNA, EDGAR A., and CRONKITE, EUGENE P. The effects of extraperiosteal injections of blood components on periosteal cell proliferation, 79

TORMEY, JOHN McD. Differences in membrane configuration between osmium tetroxide–fixed and glutaraldehyde-fixed ciliary epithelium, 658

TRAVIS, DOROTHY F., and GLIMCHER, MELVIN J. The structure and organization of, and relationship between the organic matrix and the inorganic crystals of embryonic bovine enamel, 447

V

VAN NIMWEGAN, D. See SHELDON, McKENZIE, and VAN NIMWEGAN, 200

W

WEIBEL, EWALD R., and PALADE, GEORGE E. New cytoplasmic components in arterial endothelia, 101

WEINTRAUB, M., and RAGETLI, H. W. J. An electron microscope study of tobacco mosaic virus lesions in *Nicotiana glutinosa* L., 499

WISSIG, STEVEN L. See ROSENBLUTH and WISSIG, 307

WOODING, F. B. P., and NORTHCOTE, D. H. The development of the secondary wall of the xylem in *Acer pseudoplatanus*, 327

WORDEN, PATRICIA BARRON, and SISTROM, W. R. The preparation and properties of bacterial chromatophore fractions, 135

INDEX TO SUBJECTS

A

Abstracts of Papers Presented at the Fourth Annual Meeting of The American Society for Cell Biology, 3A

Adipose tissue (brown), of rat, cytological responses to cold exposure, and autoradiographic study of cell proliferation using DNA synthetic index method with thymidine-H³ labeling, 89

Age variations in cortical membranes of stomach cells of rotifer *Philodina citrina*, EM study, 403

Ameba, *Chaos chaos*, fibrillar structures in cytoplasm of, EM study, 183

Anal papillae, of larvae of mosquito *Culex quinquefasciatus*, mitochondrial pump in cells of, EM study, 253

Animal cells, normal and neoplastic, cytoplasmic microtubules in, EM study, 265

— tissues, structure and distribution of nexuses (fusions of plasma membranes of adjacent cells) in, EM study, 553

Antibiotic, Mitomycin C, effects of on human leucocyte chromosomes, light microscope study, 386

Antigenic sites, of human erythrocytes, visualization of with ferritin-antibody conjugates, immuno-EM study, 396

Antigens, localization of at surface of unfertilized egg of sea urchin *Paracentrotus lividus*, immuno-EM analysis of surface layers, 629

Antisera, effects of on cell ultrastructure, immuno-EM analysis of surface layers of unfertilized egg of sea urchin *Paracentrotus lividus*, 609

Arteries, in various organs of rat, new cytoplasmic components in endothelia of, EM study, 101

Ascidian, *Dendrodoa grossularia*, fine structure of connections between muscle cells in tadpole larva, EM study, 664

Astrocytes, of corpus striatum in rat, helical filaments in mitochondria of, EM study, 173

ATPase, cytochemical localization of in mitotic apparatus of HeLa and Sarcoma 180 cells, by light microscopy, 363

Autoradiographic method for determining presence of soluble intracellular materials, with thymidine-H³ labeling, 654

B

Bacteria, *Bacillus megaterium* and *B. cereus*, fine localization of mineral matter in spores, studied by microincineration technique adapted for use with EM, 113

—, *Caulobacter* and *Asticcacaulis*, fine structure of stalked bacteria belonging to family Caulobacteraceae, EM study, 587

—, *Rhodopseudomonas spheroides*, preparation and properties of chromatophore fractions of, biochemical study, 135

Basal bodies and flagella, development of in water mold *Allomyces arbusculus*, EM study, 339

Bone, femur, of mouse, effects of extraperiosteal injections of blood components on periosteal cell proliferation, autoradiographic study of DNA synthesis using thymidine-H³ labeling, 79

Bovine enamel, embryonic, structure and organization of, and relationship between organic matrix and inorganic crystals of, EM study, 447

C

Calcium, intracellular distribution of in developing breast muscle of normal and dystrophic chickens, biochemical study, 241

— and phosphate ions, effect of active accumulation of on structure of rat liver mitochondria, biochemical and EM study, 21

Cell, follicular, of rat thyroid, fine structure of intramitochondrial crystals, EM study, 383

—, liver parenchymal, of thioacetamide-treated rats, cytidine-H³ activity in, autoradiographic study of functional role of nucleolar RNA, 39

Cells, animal, normal and neoplastic, cytoplasmic microtubules in, EM study, 265

—, ciliate *Tetrahymena pyriformis*, and mammalian culture line (Chinese hamster), autoradiographic method for determining presence of soluble intracellular materials with thymidine-H³ labeling, 654

—, endothelial, of small arteries in various organs of rat, new cytoplasmic components in, EM study, 101

—, HeLa and Sarcoma 180, cytochemical localization of ATPase in mitotic apparatus of tissue culture cells, by light microscopy, 363

—, muscle, of atria of mammals, specific granules in, EM study, 151

—, muscle of tadpole larva of ascidian *Dendrodoa grossularia*, connections between, EM study, 664

—, of anal papillae of larvae of mosquito *Culex quinquefasciatus*, mitochondrial pump in, EM study, 253

—, periosteal, of mouse femur, effects of extraperiosteal injections of blood components on cell proliferation, autoradiographic study of DNA synthesis using thymidine-H³ labeling, 79

—, plant, in stems of onion *Allium cepa* and roots of maize *Zea mays*, method of isolation of Golgi apparatus from, biochemical and EM study, 295

—, stomach, of rotifer *Philodina citrina*, age variations in cortical membranes of, EM study, 403

—, subepidermal parenchymal, of planarian *Dugesia*

tigrina, organized structures in nucleolus of, EM study, 195
Cells, thyroid follicular, in mouse, localization of I^{125} in suppressed and thyrotropin-stimulated glands, studied by EM autoradiography, 200
Cerebellum, of rat, fine structure of stellate neurons and granule cells and glia of, EM study, 277
Cerebrum, of rat, helical filaments in mitochondria of astrocytes of corpus striatum of, EM study, 173
Chicken, *Gallus domesticus*, relationship of DNA to structure of synaptinemal complex in meiotic prophase chromosomes in rooster, EM and cytochemical study, 63
Chickens, normal and dystrophic, intracellular distribution of calcium in developing breast muscle, biochemical study, 241
Cholinesterase, localization of activity in rat cardiac muscle, EM and cytochemical study, 217
Chromatophore fractions, from bacterium *Rhodopseudomonas spheroides*, preparation and properties of, biochemical study, 135
Chromosomal asynchrony in early S phase, induced parasynchronous DNA synthesis, in human leucocytes, autoradiographic study with thymidine-H^3 labeling, 651
Chromosomes *in vitro*, of Chinese hamster, DNA replication sequence of, autoradiographic study with thymidine-H^3 labeling, 53
—, meiotic prophase, synaptinemal complex in, relationship of DNA to structure of in domestic rooster, EM and cytochemical study, 63
—, of human leucocytes, effects of Mitomycin C on, light microscope study, 386
Ciliary epithelium, of rabbit eye, differences in membrane configuration between OsO_4-fixed and glutaraldehyde-fixed tissues, EM study, 658
Ciliate, *Tetrahymena pyriformis*, and mammalian cultured cell (Chinese hamster), autoradiographic method for determining presence of soluble intracellular materials, with thymidine-H^3 labeling, 654
Cold exposure, cytological responses to of brown fat tissue of rat, and autoradiographic study of cell proliferation using DNA synthetic index method with thymidine-H^3 labeling, 89
Collagen, deposition of in relation to Schwann cell basement membrane, during peripheral nerve (to gastrocnemius muscle) regeneration, in rabbit, EM study, 375
Corpus striatum, of rat brain, helical filaments in mitochondria of, EM study, 173
Crystals, inorganic, relationship between organic matrix and, of embryonic bovine enamel, structure and organization of enamel, EM study, 447
—, intramitochondrial, in rat thyroid follicular cell, EM study, 383
Cytoplasmic components, new, in endothelia of small arteries in various organs of rat, EM study, 101
— fibrillar structures, in ameba *Chaos chaos*, EM study, 183

D

DNA, relationship of to structure of synaptinemal complex in meiotic prophase chromosomes of domestic rooster, EM and cytochemical study, 63
DNA replication sequence, of chromosomes *in vitro*, of Chinese hamster, autoradiographic study with thymidine-H^3 labeling, 53
— synthesis, induced parasynchronous, and chromosomal asynchrony in early S phase, in human leucocytes, autoradiographic study with thymidine-H^3 labeling, 651

E

Egg, unfertilized, of sea urchin, *Paracentrotus lividus*, immuno-EM analysis of surface layers of, effects of antisera on cell ultrastructure, 609
—, unfertilized, of sea urchin *Paracentrotus lividus*, immuno-EM analysis of surface layers of, localization of surface antigens, 629
Electron microscopy used with microincineration technique, in study of fine localization of mineral matter in spores of *Bacillus megaterium* and *B. cereus*, 113
Electrophoretic mobility, of isolated nuclei of rat liver, study of change in nuclear membrane after partial hepatectomy, biochemical study, 511
Enamel, embryonic bovine, structure and organization of and relationship between organic matrix and inorganic crystals of, EM study, 447
Endosperms, of castor bean *Ricinus communis*, fine structure of negatively stained isolated mitochondria, EM study, 193
Endothelia, of small arteries in various organs, of rat, new cytoplasmic components in, EM study, 101
Enzyme, cholinesterase, localization of activity in rat cardiac muscle, EM cytochemical study, 217
Enzymes, lysosomal, in rat intestinal mucosa, biochemical study, 233
Eosinophils, uptake of immune complexes (antigen and antibody) by, studied with immunofluorescence techniques, 355
Erythrocytes, of human, visualization of antigenic sites of with ferritin-antibody conjugates, immuno-EM study, 396
Eye, of rabbit, differences in membrane configuration between OsO_4-fixed and glutaraldehyde-fixed ciliary epithelia, EM study, 658

F

Ferritin, exogenous, distribution of in toad spinal ganglia, mechanism of its uptake by neurons, EM study, 307
Ferritin-antibody conjugates, in study of visualization of antigenic sites of human erythrocytes, immuno-EM study, 396
Fertilization, in cotton plant *Gossypium hirsutum*, observations on fusion of nuclei, EM study, 669
Fibrillar structures, in cytoplasm of ameba *Chaos chaos*, EM study, 183
Fixations with OsO_4 and with glutaraldehyde, of ciliary epithelium of rabbit eye, differences in membrane configuration after, EM study, 658
Flagella and basal bodies, development of in water mold *Allomyces arbusculus*, EM study, 339
Frog, *Rana pipiens*, study of genetic control of develop-

ment, transplantation of diploid nuclei from burnsi (pigment pattern mutant) embryos to enucleated unfertilized eggs of wild-type frogs, 371

G

Ganglia, spinal, of toad *Bufo marinus*, distribution of exogenous ferritin in, mechanism of its uptake by neurons, EM study, 307
Genetic control of development, in frog *Rana pipiens*, transplantation of diploid nuclei from burnsi (pigment pattern mutant) embryos to enucleated unfertilized eggs of wild-type frogs, 371
Glia, and granule cells and stellate neurons, of rat cerebellum, fine structure of, 277
Golgi apparatus, method of isolation of from plant cells, in stems of onion *Allium cepa* and roots of maize *Zea mays*, biochemical and EM study, 295
Granule cells, and stellate neurons and glia, of rat cerebellum, fine structure of, 277
Granules, specific, in atrial muscle cells, in mammals, EM study, 151

H

Hamster, Chinese, DNA replication sequence of chromosomes *in vitro*, autoradiographic study with thymidine-H^3 labeling, 53
Heart, muscle cells of mammalian atria, specific granules in, EM study, 151
— muscle, of rat, localization of cholinesterase activity in, EM cytochemical study, 217
Heavy water, suppression of mitosis and macromolecule synthesis by in roots of onion *Allium cepa*, autoradiographic study with thymidine-H^3 labeling, 188
HeLa and Sarcoma 180 cells, cytochemical localization of ATPase in mitotic apparatus of tissue culture cells, by light microscopy, 363
Histone-protein transition, in nuclei, changes during early embryonic development in *Drosophila melanogaster*, histochemical study, 423
Human, erythrocytes, visualization of antigenic sites of with ferritin-antibody conjugates, immuno-EM study, 396
—, leucocyte chromosomes, effects of Mitomycin C on, light microscope study, 386
—, leucocytes, induced parasynchronous DNA synthesis in and chromosomal asynchrony in early S phase, autoradiographic study with thymidine-H^3 labeling, 651

I

Immune complexes (antigen and antibody), uptake of by eosinophils, studied with immunofluorescence techniques, 355
Immuno-electron microscopic analysis of surface layers of unfertilized egg of sea urchin *Paracentrotus lividus*, effects of antisera on cell ultrastructure, 609
— microscopic analysis of surface layers of unfertilized egg of sea urchin *Paracentrotus lividus*, localization of surface antigens, 629
— microscopy, visualization of antigenic sites of human erythrocytes using ferritin-antibody conjugates, 396
Immunofluorescence techniques, in study of uptake of immune complexes (antigen and antibody) by eosinophils, 355
Infection, viral, in plant *Nicotiana glutinosa*, EM study of tobacco mosiac virus lesions, 499
Insect, *Drosophila melanogaster*, histone-protein transition in nuclei, changes during early embryonic development, histochemical study, 423
—, fire-brat *Thermobia domestica*, structure of mature spermatozoon of, EM study of spermatogenesis in, 431
Intestinal mucosa, of rat, lysosomal enzymes in, biochemical study, 233

K

Kidney, of rat and mouse, lytic activities in renal protein absorption droplets, EM cytochemical study, 519
—, of rat, ultrastructure of isolated mitochondria treated with phlorizin and ATP, biochemical EM study, 207

L

Leucocyte chromosomes, of human, effects of Mitomycin C on, light microscope study, 386
Leucocytes, of human, induced parasynchronous DNA synthesis in and chromosomal asynchrony in early S phase, autoradiographic study with thymidine-H^3 labeling, 651
Liver, of rat, change in nuclear membrane after partial hepatectomy, study of electrophoretic mobility of isolated nuclei, biochemical study, 511
—, of rat, effect of active accumulation of calcium and phosphate ions on structure of mitochondria of, biochemical and EM study, 21
—, of rat, osmotic and metabolic alterations of size of isolated mitochondria of, biochemical study, 1
—, of rat, role of EDTA and metals in contraction of isolated mitochondria of, biochemical and EM study, 9
—, parenchymal cells, of thioacetamide-treated rats, cytidine-H^3 activity in, autoradiographic study of functional role of nucleolar RNA, 39
Lysosomal enzymes, in rat intestinal mucosa, biochemical study, 233
Lytic activities, in renal protein absorption droplets, in rat and mouse, EM cytochemical study, 519

M

Macromolecule synthesis and mitosis, suppression of by heavy water, in roots of onion *Allium cepa*, autoradiographic study with thymidine-H^3 labeling, 188
Mammalian cultured cell (Chinese hamster), and ciliate *Tetrahymena pyriformis*, autoradiographic method for determining presence of soluble intracellular materials, with thymidine-H^3 labeling, 654
Mammals, atrial muscle cells, specific granules in, EM study, 151

Meiosis, in domestic rooster, relationship of DNA to structure of synaptinemal complex, in meiotic prophase chromosomes, EM and cytochemical study, 63
Membrane, nuclear, of rat liver, change in after partial hepatectomy, study of electrophoretic mobility of isolated nuclei, biochemical study, 511
—, plasma, structure and distribution of nexuses (fusion of plasma membranes of adjacent cells) in various animal tissues, EM study, 553
Membranes, cortical, of stomach cells of rotifer *Philodina citrina*, age variations in, EM study, 403
Microincineration technique, adapted for use with EM, in study of fine localization of mineral matter in spores of *Bacillus megaterium* and *B. cereus*, 113
Microtubules, cytoplasmic, in normal and neoplastic cells of different animals, EM study, 265
Mineral matter, fine localization of in spores of *Bacillus megaterium* and *B. cereus*, studied by microincineration technique adapted for use with EM, 113
Mitochondria, helical filaments in, of astrocytes of corpus striatum in rat, EM study, 173
—, isolated, negatively stained, of endosperm of castor bean *Ricinus communis*, fine structure of, 193
—, isolated, of rat kidney, ultrastructure of after treatment with phlorizin and ATP, biochemical and EM study, 207
—, isolated, of rat liver, osmotic and metabolic alterations of size of, biochemical study, 1
—, isolated, of rat liver, role of EDTA and metals in contraction of, biochemical and EM study, 9
—, of rat liver, effect of active accumulation of calcium and phosphate ions on structure of, biochemical and EM study, 21
Mitochondrial crystals, in rat thyroid follicular cell, EM study, 383
— pump, in cells of anal papillae of larvae of mosquito *Culex quinquefasciatus*, EM study, 253
Mitomycin C, effects on human leucocyte chromosomes, light microscope study, 386
Mitosis and macromolecule synthesis, suppression of by heavy water, in roots of onion *Allium cepa*, autoradiographic study with thymidine-H^3 labeling, 188
Mitotic apparatus, of HeLa and Sarcoma 180 cells, cytochemical localization of ATPase in by light microscopy, 363
Mold, *Allomyces arbusculus*, development of basal bodies and flagella in, EM study, 339
Mosquito, *Culex quinquefasciatus*, mitochondrial pump in cells of anal papillae of larvae, EM study, 253
Mouse, femur, effects of extraperiosteal injections of blood components on periosteal cell proliferation, autoradiographic study of DNA synthesis using thymidine-H^3 labeling, 79
—, thyroid, localization of I^{125} in suppressed and thyrotropin-stimulated glands, studied by EM autoradiography, 200
Mucosa, of rat intestine, lysosomal enzymes in, biochemical study, 233
Muscle, cardiac, of rat, localization of cholinesterase activity in, EM cytochemical study, 217
— cells, of atria of mammals, specific granules in, EM study, 151
— cells, of tadpole larva of ascidian *Dendrodoa grossularia*, fine structure of connections between, EM study, 664
—, developing, in breast, of normal and dystrophic chickens, intracellular distribution of calcium in, biochemical study, 241

N

Nerve, peripheral (to gastrocnemius muscle), in rabbit, deposition of collagen in relation to Schwann cell basement membrane during regeneration of, EM study, 375
Neurons, in toad spinal ganglia, distribution of exogenous ferritin in ganglia, mechanism of its uptake by, EM study, 307
—, stellate, and granule cells and glia, of rat cerebellum, fine structure of, 277
Nexus (fusion of plasma membranes of adjacent cells), structure and distribution of in various animal tissues, EM study, 553
Nuclear transplantation, study of genetic control of development, in frog *Rana pipiens*, transplantation of diploid nuclei from burnsi (pigment pattern mutant) embryos to enucleated unfertilized eggs of wild-type frogs, 371
Nuclei, isolated, of rat liver, study of electrophoretic mobility of, change in nuclear membrane after partial hepatectomy, biochemical study, 511
— (polar; egg and sperm), fusion of, in cotton plant *Gossypium hirsutum*, EM study, 669
Nucleolus, functional role of RNA in, autoradiographic study of cytidine-H^3 activity in liver parenchymal cells of thioacetamide-treated rats, 39
—, of subepidermal parenchymal cells, of *Dugesia tigrina*, organized structures in, EM study, 195
Nucleus, histone-protein transition in, changes during embryonic development in *Drosophila melanogaster*, histochemical study, 423

P

Periosteum, of mouse femur, effects of extraperiosteal injections of blood components on cell proliferation in, autoradiographic study of DNA synthesis using thymidine-H^3 labeling, 79
Phosphate and calcium ions, effect of active accumulation of on structure of rat liver mitochondria, biochemical and EM study, 21
Planarian, *Dugesia tigrina*, organized structures in nucleolus of subepidermal parenchymal cells, EM study, 195
Plant cells, in stems of onion *Allium cepa* and roots of maize *Zea mays*, method of isolation of Golgi apparatus from, biochemical and EM study, 295
—, cotton, *Gossypium hirsutum*, observations on fusion of nuclei (polar; egg and sperm) in, EM study, 669
—, endosperms of castor bean *Ricinus communis*, fine

structure of negatively stained isolated mitochondria, EM study, 193
Plant, *Nicotiana glutinosa*, EM study of tobacco mosaic virus lesions in, 499
—, roots of onion *Allium cepa*, suppression of mitosis and macromolecule synthesis by heavy water, autoradiographic study with thymidine-H^3 labeling, 188
—, stems of sycamore *Acer pseudoplatanus*, development of secondary wall of xylem in, EM study, 327
Protein absorption droplets, renal, lytic activities in, of rat and mouse, EM cytochemical study, 519
Protein-histone transition, in nuclei, changes during embryonic development, in *Drosophila melanogaster*, histochemical study, 423

R

Rabbit eye, differences in membrane configuration between OsO_4-fixed and glutaraldehyde-fixed ciliary epithelia, EM study, 658
—, peripheral nerve (to gastrocnemius muscle), deposition of collagen in relation to Schwann cell basement membrane during regeneration of, EM study, 375
Radioactive label, Ca^{45}, intracellular distribution of calcium in developing breast muscle of normal and dystrophic chickens, biochemical study, 241
— label, cytidine-H^3, autoradiographic study of functional role of nucleolar RNA in liver parenchymal cells of thioacetamide-treated rats, 39
— label, I^{125}, localization of in suppressed and hyrotropin-stimulated thyroid glands of mouse, studied by EM autoradiography, 200
— label, thymidine-H^3, autoradiographic method for determining presence of soluble intracellular materials, 654
— label, thymidine-H^3, autoradiographic study of cell proliferation using DNA synthetic index method, in study of cytological responses of brown fat tissue in cold-exposed rats, 89
— label, thymidine-H^3, autoradiographic study of DNA replication sequence of chromosomes *in vitro*, of Chinese hamster, 53
— label, thymidine-H^3, autoradiographic study of DNA synthesis, in study of effects of extraperiosteal injections of blood components on periosteal cell proliferation, 79
— label, thymidine-H^3, induced parasynchronous DNA synthesis, chromosomal asynchrony in early S phase, in human leucocytes, autoradiographic study, 651
— label, thymidine-H^3, suppression of mitosis and macromolecule synthesis by heavy water, in roots of onion *Allium cepa*, autoradiographic study, 188
Rat, brown fat tissue, cytological responses of to cold exposure, and autoradiographic study of cell proliferation using DNA synthetic index method with thymidine-H^3 labeling, 89
—, cardiac muscle, localization of cholinesterase activity in, EM cytochemical study, 217
—, cerebellum, fine structure of stellate neurons and granule cells and glia of, EM study, 277
Rat, corpus striatum, helical filaments in mitochondria of astrocytes of, EM study, 173
—, endothelial of small arteries in various organs, new cytoplasmic components in, EM study, 101
—, intestinal mucosa, lysosomal enzymes in, biochemical study, 233
—, kidney, ultrastructure of isolated mitochondria treated with phlorizin and ATP, biochemical and EM study, 207
—, liver, change in nuclear membrane after partial hepatectomy, study of electrophoretic mobility of isolated nuclei, biochemical study, 511
—, liver, effect of active accumulation of calcium and phosphate ions on structure of mitochondria of, biochemical and EM study, 21
—, liver, osmotic and metabolic alterations of size of isolated mitochondria of, biochemical study, 1
—, liver, role of EDTA and metals in contraction of isolated mitochondria of, biochemical study, 9
— and mouse, kidney, lytic activities in renal protein absorption droplets, EM cytochemical study, 519
—, thioacetamide-treated, cytidine-H^3 activity in liver parenchymal cells, autoradiographic study of functional role of nucleolar RNA, 39
—, thyroid, fine structure of intramitochondrial crystals in follicular cell, EM study, 383
Regeneration, of peripheral nerve (to gastrocnemius muscle), in rabbit, deposition of collagen in relation to Schwann cell basement membrane during, EM study, 375
RNA, nucleolar, autoradiographic study of cytidine-H^3 activity in liver parenchymal cells of thioacetamide-treated rats, 39
Rotifer, *Philodina citrina*, age variations in cortical membranes of stomach lining cells, EM study, 403

S

Sarcoma 180 and HeLa cells, cytochemical localization of ATPase in mitotic apparatus of tissue culture cells, by light microscopy, 363
Schwann cell basement membrane, deposition of collagen in relation to, during peripheral nerve (to gastrocnemius muscle) regeneration, in rabbit, EM study, 375
Sea urchin, *Paracentrotus lividus*, immuno-EM analysis of surface layers of unfertilized egg, effects of antisera on cell ultrastructure, 609
— urchin, *Paracentrotus lividus*, immuno-EM analysis of surface layers of unfertilized egg, localization of surface antigens, 629
Spermatogenesis, in fire-brat insect *Thermobia domestica*, structure of mature spermatozoon, EM study, 431
Spermatozoon, mature, of fire-brat insect *Thermobia domestica*, structure of, EM study of spermatogenesis, 431
Spores, of *Bacillus megaterium* and *B. cereus*, fine localization of mineral matter, studied by microincineration technique adapted for use with EM, 113

Stomach, lining cells, of rotifer *Philodina citrina*, age variations in cortical membranes of, EM study, 403

T

Thyroid, of mouse, localization of I^{125} in suppressed and thyrotropin-stimulated glands, studied by EM autoradiography, 200
—, of rat, fine structure of intramitochondrial crystals in follicular cell, EM study, 383
Toad, *Bufo marinus*, distribution of exogenous ferritin in spinal ganglia, mechanism of its uptake by neurons, EM study, 307
Tooth, enamel, embryonic bovine, structure and organization of and relationship between organic matrix and inorganic crystals of, EM study, 447
Transplantation, nuclear, in frog *Rana pipiens*, study of genetic control of development, burnsi gene as nuclear marker, transplantation of diploid nuclei from burnsi (pigment pattern mutant) embryos to enucleated unfertilized eggs of wild-type frogs, 371

V

Virus, tobacco mosaic, EM study of lesions produced by in plant *Nicotiana glutinosa*, 499

W

Wall, secondary, of xylem, in stems of sycamore *Acer pseudoplatanus*, development of, EM study, 327

X

Xylem, development of secondary wall of in stems of sycamore *Acer pseudoplatanus*, EM study, 327